

AIR FILTRATION  
& AIR QUALITY



## HEPAGEL-104-ARN

Hepa Filters With Gel Gasket

### APPLICATIONS

- Used in systems made according to sealed with gel technique
- Clean rooms with LAF counters and operating rooms

### FILTER CODE STRUCTURE

Type	<b>HG</b>	HEPAGEL
Class EN 1822	<b>11</b>	%95 @0.3 μm
Frame	<b>A</b>	<b>A:</b> Aluminum
Media	<b>R</b>	<b>R:</b> Micro Glass Fibre <b>S:</b> Synthetic
Pleat Depth	<b>N</b>	<b>S:</b> 0.55-1inch <b>K:</b> 1-1.88 inch <b>M:</b> 1.9-2.28inch <b>N:</b> 2.3-3 inch
Surface Grid	<b>2</b>	<b>0:</b> Without Grid <b>1:</b> Face Grid Air Outlet <b>2:</b> Both Side with Grid
Gasket Type	<b>G</b>	Gel Type
Gasket Direction	<b>G</b>	<b>C:</b> Air Outlet <b>G:</b> Air Inlet
Size	24-24-4	

### TECHNICAL SPECIFICATIONS

Efficiency @0.3 μm	95 %	99 %	99,9 %	99.99 %	99.999 %	99.9999 %
Max. Temperature	176 °F (Optional 248 °F)					
Relative Humidity	100 %					
Rec. Final Pres. Drop	2.4 w.g.					
Filter Stage	III - IV					

For more information please click here. 

